| (11/13) REF: | 62932 |
|---------------------------------------------|---------------------------------------------------------------------|
| ansyon Charac | ASSIGNMENT |
| 2.00 | Veh No: SHO 1815H Yr Regn: 2013 / Zury |
| om: Date: , | Type: M.Car / M.Cycle / Bus / Van / Lorry / Taxi / Prime Mover / |
| timated Cost: | Truck / Trailer or |
| D/TP/WS/TP RES/OD RES/EVA/INV/MV | Make: Toyota prims Hypein 1.5 c.c 1496 |
| Inspect Vehicle No: SHO 2825 H | A A A A A A A A A A A A A A A A A A A |
| Workshop m/s PRIME AND | 1100 10 700 1 1101111111 |
| AXA Just | |
| sured: | Eng/No: |
| olicy No. | C/No: NHW 20 3583714 . |
| laims No. | Gen. Cond: Good /Fair / Poor / Burnt |
| um Insured: Excess: | Steering: Inorder / Jammed / Leaked / Burnt or |
| (Client's Record) | Brake: lorder / Jammed / Leaked / Burnt or |
| ake of Veh: | Modi: (NH/ / S/Rim / STD A/Rim or |
| | Tyre Size: F: 185 (5 R15 |
| (Policy Condition) | R: |
| emark: The veh had commenced its N/S | O/S BS / DUN / EXNOVA / GY / FS / LIZA / MIC / OHTSU / PIR / SUMI / |
| repair at the time of inspection. | TOYO/YOKO or GOODRIDE |
| al. or Market Value: | <u>Front</u> <u>Rear</u> |
| DAC Accident Rport: Consistent? : Yes or No | R/Bal. 5 mm R/Bal. 5 mm |
| IA / PR Seen: Consistent?: Yes or No | L/Bal. S mm L/Bal. S mm |
| st. Repairs: days Res.: Yes or No | D.O.A. 28/04/18 D.O.I. 02/05/18 |
| um Sum: % 3 Val.: Yes or No | Survey held at PRIME AND |
| A I DEV I DED I MAUDE | Des. of Damages : Frt (Rear / O/S / N/S / U/C / Rooftop or |
| A / REV / REP. / 24 HRS Vehicle: IN | OUT |
| ate: Person Contacted: | The U/C / Chassis frame / Body Structure affected due to collision. |
| Date / Time Action / Instruction | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| de Cina File Para In C | |
| ate/Time, File Pass to? : Preli. Report | Days Of Repair: |
| : Final Report | Resurvey No. of Trip: Survey Fee: |
| ate/Time, File Return to? | Transportation: |

Interview (\$

Tech. Invs (\$

Weekend (\$

Report Format:

Lump Sum / I.B.I: (\$

) Photos

) Others

TOTAL