

LABOUR	PRICE
PANEL BEATING, REMOVAL AND REPLACING PARTS	S 800.00 400
TO SPRAY PAINT AFFECTED AREA	S 800.00 X
REMOVE AND REFIX AIRCON CONDENSOR AND REFILL AIRCON GAS	S 120.00 20
TUFF COAT	S 50.00 30
WIRING, BULB CHECKING	S 50.00 X
REFOCUS HEADLAMP BEAM	S 60.00 220
REMOVE AND REFIX FRONT UNDERCARRIGE	S 550.00 1170
RESET ABS LIGHT	S 350.00 X
	S 2,780.00

	-S 10,685.04
	S 2,780.00
	-S 7,905.04

APPROVED DETAILS

NO. OF WORKINGDAYS :
 PART BY PART OR LUMP SUM :
 DATE & TIME OF SURVEY :
 SURVEYED BY :
 CONTACT NUMBER :
 FAX NUMBER :

Adrian Lj

L/s 05/11/20

~~05 Days~~

05 days.

LKK Auto Consultants hence notify the Repairer of the following:

- To resurvey before/after spray painting
- To display damaged part(s) during resurvey
- Parts prices are subject to confirmation
- Third party survey is on a "Without Prejudice" basis
- No illegal modification(s) is allowed
- Supplementary item(s) must be resurveyed and is subject to final approval from Insurance Company

Acknowledged by Repairer

Signature:

Date:

Total: 4990.08

L/s: 3.91k

TEO HIN TYRES

11 KAKI BUKIT ROAD 1
#01-01 EUNOS TECHNOLINK
SINGAPORE 415939
TEL: 67455711

Work Order R000275
Company: RICO60
License: SCV204C
Odometer:
Date 29/10/2020 16:35

HYUNDAI ACCENT

Front : Left

Actual	Before	Specified Range
-1°02'	-1°02'	-1°20' 0°10'
-3°01'	3°01'	2°05' 3°35'
-0°01'	-0°01'	-0°05' 0°07'
12°54'	12°54'	
11°53'	11°53'	

Camber
Caster
Toe
SAI
Included Angle
Turning Angle Diff.

Front : Right

Actual	Before	Specified Range
-1°12'	-1°05'	-1°20' 0°10'
-3°21'	3°51'	2°05' 3°35'
-0°03'	-0°03'	-0°05' 0°07'
12°54'	12°54'	
11°53'	11°53'	

Front

	Actual	Before	Specified Range
Cross Camber	-0°07'	-0°12'	-1°20' 0°10'
Cross Caster	-0°04'	-0°04'	-1°20' 0°10'
Cross SAI	-0°24'	-0°28'	
Cross Toe	-0°01'	-0°24'	-1°20' 0°10'
Cross Turning Diff.			

Rear : Left

Actual	Before	Specified Range
-1°12'	-1°12'	-1°53' 0°26'
-0°30'	0°30'	0°06' 0°16'

Camber
Toe

Rear : Right

Actual	Before	Specified Range
-1°12'	-1°12'	-1°53' 0°26'
-0°08'	-0°08'	0°06' 0°16'

Rear

	Actual	Before	Specified Range
Cross Camber	-0°48'	-0°48'	-0°45' 0°45'
Total Toe	-0°35'	-0°35'	-0°12' 0°33'
Thrust Angle	-0°00'	-0°02'	