

ComfortDelGro Engineering

320 UBI ROAD 3 SINGAPORE 408649

	ACCIDENT REF	PAIR ESTIMATES	
Our Ref:			
Type of Claim		Chassis No.	: YP 7404S : ISUZU NPR85UH5AK : 2016
Ins Company : CHIN		Engine No.	*
Date of Accident : 04		Policy No. Time of Accident	* *
Suggested Days of Repair		In-house Vehicle Asse	ssor
Repair Estimates Parts (a) Cost / List Price Items Plus/Less	\$ 3,680.00 \$ 552.00 \$ 3,128.00 \$ -	Case Owner Signature Contact No TINIE 68485726 JOHARI 68485725	: *
Total Parts Cost (Appendix A)	\$ 3,128.00		
Labour (Appendix B)	\$ 900.00		
Total Repair Cost	\$ 4,028.00		
The above total will be subjected to	7% G.S.T.		
Name of Surveyor Company Survey conducted on	# # #	at	

1			
Company			
Survey cond	ducted on	÷	at
Remarks By	Surveyor		
(a) The rep	pair of this vehicle is au	thor	ized / is not authorized until further notice.
(b) Recom	mended Days of Repa	r:	day(s)
(c) Resurve	э у	:	Required / Not Required
		112	
(d) Excess		:\$_	
(e) Signatu	re of surveyor	i	Date:

Spark Car Care ComfortDelGro Engineering Pte Ltd 320 UBI ROAD 3 SINGAPORE 408649

TEL:68438723/68438736 Fax:67436072

S	pai	re	Pa	rts

Vehicle No	: YP 7404S	Case Owner : 0
Make & Model	: ISUZU NPR85UH5AK	Year Manufacture 2016
Chassis No	:_JAANPR85HG7100375	
Sales Order	*	Supplier :
Order By	\$	Type of Claim : <u>TP</u>

S/No	Part Description	QTY	Cost Price	List Price	Nett Price	S/N	Disposition E Surveyor
1	DOOR HINGES SS SIDE DOOR	2		\$ 320.00			
	DOOR HANDLE EXTERNAL ASSY WITH DOOR GEAR	1		\$ 960.00			
3	SIDE DOOR WITH GASKET	1		\$ 2,400.00			

Spark Car Care

ComfortDelGro Engineering Pte Ltd **320 UBI ROAD 3 SINGAPORE 408649**

Tel: 68438723/68438736 FAX: 67436072

ī	а	h	0		r
-	-a	u	u	u	

Vehicle No. : Make & Mode:		YP7404S ISUZU NPR85UH5AK	:		
S/No		Labour Descripti	on	Esimated Price	Adjusted Price
1	1 DISMANTLE DAMAGE SIDE DOOR & REPI RE-ALIGN , TIGHTEN & SECURE DOOR H			\$900.00	

Note: The above estimate of repair is based on visual assessment of the external affected areas. Any additional damages observed during the course of repair will be quote accordingly as a supplementary.