

REG NO : 48992400W

Chassis : RE31101544

TPAXA.

Denise

(RH) ~~20%~~
3157.90
less 20% : 2526.32
Less

400

Labour	Amount (\$)
To conduct 4-wheel alignment (2 times)	\$ 160.00
To check rear electrical system	\$ 80.00
To remove & reinstall RHR tyre & rim, & tyre balancing	\$ 80.00

To remove & reinstall RHR undercarriages	\$	280.00	150
To transfer RHR door components from old door to new door	\$	150.00	80
Labour to remove, cut, change & panel beating	\$	950.00	400
To putty and respray affected areas	\$	1,200.00	400
			1140
Labour Total :	\$	2,900.00	
Total (Parts & Labour)	\$	10,780.16	

Total: 4066.32

L/S 3.2K

05 Days


LKK Auto Consultants hence notify
the Repairer of the following:

- To resurvey before/after spray painting
- To display damaged part(s) during resurvey
- Parts prices are subject to confirmation
- Third party survey is on a "Without Prejudice" basis
- No illegal modification(s) is allowed
- Supplementary item(s) must be resurveyed and
is subject to final approval from Insurance Company

Acknowledged by Repairer

Signature:

Date:



PEOPLES AUTO TRADING
BLK 3007 UBI ROAD 1 #01-400
TEL 6741 4646



COMPUTERIZED ALIGNMENT SPECIALISTS

CUSTOMER	CASH	DATE	May 11, 2021 1:39:08 PM
FIRST NAME			
LICENSE NO.	SJE 7323 C		
MILEAGE	250896		
MAKE	CUSTOM	MODEL	HONDA CR-V (RE)
NOTES			

Front Wheel	SPECS				DIAGNOSIS				ADJUSTMEN			
	min	prv	max	Δ	L	total	R	Δ	L	total	R	Δ
TOTAL TOE	-1.00	0.00	1.00			4.70				4.70		
PARTIAL TOE	-0.50	0.00	0.50		-2.00		6.80		-0.70		5.40	
SET BACK	---	---	---			0°02"				0°02"		
CAMBER	-1°14"	-0°30"	0°14"		-0°14"		-0°16" 0°00"		-0°16"		-0°14" 0°02"	
CASTER	2°30"	3°30"	4°30"		2°52"		3°04" 0°12"		2°52"		3°04" 0°12"	
KING-PIN	---	---	---		12°12"		11°16" 0°54"		12°12"		11°16" 0°54"	
INCL ANGLE	---	---	---		11°56"		11°00"		11°54"		11°00"	
Toe-out on turns	---	---	---		---		---		---		---	
STEERING IN	---	---	---		---		---		---		---	
STEERING OUT	---	---	---		---		---		---		---	

Rear Wheel	SPECS				DIAGNOSIS				ADJUSTMEN			
	min	prv	max	Δ	L	total	R	Δ	L	total	R	Δ
TOTAL TOE	-1.00	1.00	3.10			-5.30				-5.30		
PARTIAL TOE	-0.50	0.50	1.50		1.50		-6.80		1.50		-6.80	
SET BACK	---	---	---			0°26"				0°26"		
CAMBER	-1°44"	-1°00"	-0°14"		-1°00"		-2°32" 1°30"		-1°00"		-2°32" 1°30"	
THRUST ANGLE	-0°08"	0.00	0°08"			0°40"				0°40"		