

From: Eileen Rikecool XPEL eileen@rikecool.com.sg
Subject: PORSCHE 911 Carrera S - 911.1 model (front half) XPEL
ULTIMATE PLUS PPF
Date: 26 Nov 2019 at 8:17:36 PM
To: Pcs Adrian To Carrera S 991.1 toadrian76@hotmail.com
Cc: job@rikecool.com.sg, shirley shirley@rikecool.com.sg

toadrian76@hotmail.com


Adrian to

PORSCHE 911 Carrera S - 911.1 model (front half)
XPEL ULTIMATE PLUS PPF







PEL ULTIMATE PLUS SELF HEALING PPFILM +



FULL HOOD FENDER & MIRROR KIT - \$1,500.00



BUMPER KIT - \$900.00



- HEADLAMP & FOG LAMP KIT - INCLUDE FOR YOU

SIDE STEPS - FOC

DOOR CUPS - FOC

FILM CLEANER & SEALANT

TOTAL ABOVE - \$2,400.00

Less 10% for u = \$2,160.00 / bf gst =
\$2,311.20

Round up to \$2,300.00 ...

Add




A-PILLAR - \$300.00 FOR YOU - NO CHARGE

Or do you prefer front windscreen protector 4 mil clear ?

JOB TAKES 2-3 Days to complete.

ABOUT XPEL ULTIMATE PLUS PAINT PROTECTION FILM



XPEL paint protection film works as an invisible layer of armor over your car's finish. Our crystal-clear, energy-absorbent polyurethane film is computer cut from a database of precision templates specific to your car, and then safely bonded to the vulnerable painted surfaces offering up to ten years of guaranteed protection. XPEL is 100% safely removable on factory paint and provides all of the protection you need with none of the peeling, cracking, yellowing, and blistering that can happen with other less-advanced films on the market.


PRODUCT VIDEO : <https://youtu.be/hl4IW8uNRqY>

XPEL ULTIMATE PLUS™ PAINT PROTECTION FILM

TECHNICAL DATA SHEET AUGUST 2019

XPEL ULTIMATE PLUS™ is a high performance, self-adhesive, clear-coated aliphatic polyurethane film designed to protect automotive paint, and other surfaces, from harmful effects of stone chips and abrasion. It has exceptional elongation properties for ease of application which allows for single piece installations. XPEL ULTIMATE PLUS™ is a very low surface energy film designed to resist staining and offers superior environmental resistance and gloss retention. The clear coat employs special elastomeric polymers that allow scratches in the surface to "heal" over time, eliminating the need for frequent polishing to maintain a just installed appearance. XPEL ULTIMATE PLUS™ is coated with ultra-clear high performance acrylic adhesive which has excellent adhesion on a broad range of surfaces, while resisting disturbances during installation. This high performance acrylic adhesive is formulated to resist delamination, will not damage paint or leave behind residue upon removal post installation.

PRODUCT CONSTRUCTION



BASE WEIGHT (WITH LINER)
 $3.23 \times 10^{-2} \text{ g/cm}^2$ ($6.62 \times 10^{-2} \text{ lb/ft}^2$)

GENERAL CHARACTERISTICS

PROPERTIES	TYPICAL VALUES	TESTING CONDITIONS	STANDARDS USED
Peel Adhesion	>4 N/cm >7 N/cm >7 N/cm >7 N/cm >7 N/cm	20 min. @ RT 72 hr @ RT 168 hr @ 70°C (158°F) 168 hr @ 35°C (95°F) and 100% RH After Accelerated Weathering	PSTC 101
Gloss	>96 %	20 Degree	ISO 2813
Aging Test Heat Age Water Immersion After Xenon weathering Natural Weathering - AZ Natural Weathering - FL	Pass-No Detrimental Effect Pass-No Detrimental Effect ΔE<2 / 95% Gloss Retention Pass-No Detrimental Effect Pass-No Detrimental Effect	16 days @ 80°C (176°F) 400 hr @ 40°C (104°F) 3,750 hr 3 yr @ 45° south-facing exposure 3 yr @ 5° south-facing exposure	SAE J2527 SAE J976 SAE J976
Stone Chip Resistance - Grevometer	Pass-No Detrimental Effect		ASTM D5170 SAE J400
Mechanical Ultimate Strength @ Break Shrinkage Tensile Elongation @ Break	>15 MPa <0.1% >200%	Test rate: 1.0 mm/min After accelerated weathering Test rate: 1.0 mm/min	ASTM D638-95
Stain Resistance Water & Soap Spotting Acid Spotting Gasoline Diesel fuel Motor Oil Lacquer Thinner Enamel Reducer Acetone	No Detrimental Effect No Detrimental Effect No Detrimental Effect No Detrimental Effect No Detrimental Effect No Detrimental Effect No Detrimental Effect No Detrimental Effect	Immerse for 30 min, check after 24 hrs. for change	

RECOMMENDED STORAGE CONDITIONS - 72° F (22° C) @ 50% RH

<https://www.xpel.com/shop/paint-protection-film/ultimate-plus>

XPEL ULTIMATE PLUS™ is a patented, high performance, self-adhesive, clear-coated aliphatic polyurethane film designed to protect automotive paint, and other surfaces, from harmful effects of stone chips and abrasion. It has

exceptional elongation properties for ease of application which allows for single piece installations. XPEL ULTIMATE PLUS™ is a very low surface energy film designed to resist staining and offers superior environmental resistance and gloss retention. The clear coat employs special elastomeric polymers that allow scratches in the surface to “heal” over time, eliminating the need for frequent polishing to maintain a just installed appearance. XPEL ULTIMATE PLUS™ is coated with ultra-clear high performance acrylic adhesive which has excellent adhesion on a broad range of surfaces, while resisting disturbances during installation.

PAINT PROTECTION FILM



Partial Front End

18" - 24" Up Hood and Fenders.
Front Bumper, Headlights and Side Mirrors.



Full Front End

Full Hood and Fenders. Front Bumper.
Headlights and Side Mirrors.



Full Car

Every Exposed Painted Surface.

ULTIMATE PLUS TECHNICAL DATA SHEET

<https://www.xpel.com/web-assets/downloads/XPEL-ULTIMATE-PLUS-TDS-82019-V1-1.pdf>

ALL OTHER FILM SPECS

<https://www.xpel.com/film-specifications>

HEADLAMP film SPECS

<https://www.xpel.com/web-assets/downloads/Headlamp-Protection-Film-Data-Sheet.pdf>

HOW WE WORK ON YOUR CAR


<https://www.youtube.com/watch?v=knJ3MhjmKSc>

READ FAQ HERE

<http://www.xpel.com/faqs/>

FILM CARE

<https://www.xpel.com/care>



AUTHENTIC SINGAPORE XPEL DISTRIBUTOR FOR XPEL
CHECK OUT OUR INSTAGRAM PICS BY RIKECOOL XPEL SG -
<https://www.instagram.com/eileenelin/>

Yours Sincerely,
Eileen Lin
mobile +65 97992022
mailto: eileen@rikecool.com.sg

RIKECOOL AUTOMOTIVE FILM PTE LTD
50 Ubi Ave 3 #03-02 Frontier Epark. Singapore 408866
Tel: [+65 62972422](tel:+6562972422) / Fax: [+65 62972422](tel:+6562972422)

Map : drive up the ramp to third floor
<https://www.google.com/maps/dir//50+Ubi+Avenue+3,+Singapore+408866>

Opening Hours:
Mon to Fri: 9 am to 6 pm
Sat: 9 am to 1 pm / Sun: close

Our Product:
High Heat Cut Solar Film / XPEL SELF HEALING Paint Protection Film / XPEL Stone-Chip Headlamp Protector film / Safety Windshield 4 mil Protector Film / Glass Safety film / Glass Privacy film / Anti Insect Film / Frosted Film / Black Out Film / Office Decorative Film / UV film / Exterior / Interior Sun Roof Heat Cut Film / Scratch Resistance Interior Console Protector Film / LCD Touch Screen Film

Solar Film Web : www.rikecool.com.sg
XPEL PPF Web : www.xpel.com

Facebook: facebook.com/RikecoolXpelSg

INSTAGRAM : <https://www.instagram.com/eileenelin/>
OUR FILM PACKAGES AT - <http://rikecool.com.sg/automobile-films/>
LIKE US ON FB : www.facebook.com/RikecoolXpelSg