





APA

Job Reference No : 21/002329




APA

Job Reference No : 21/002329




APA

Job Reference No : 21/002329



APA

Job Reference No : 21/002329




APA

Job Reference No : 21/002329



APA

Job Reference No : 21/002329



APA

Job Reference No : 21/002329





APA

Job Reference No : 21/002329





APA

Job Reference No : 21/002329




APA

Job Reference No : 21/002329






APA

Job Reference No : 21/002329



APA

Job Reference No : 21/002329



APA

Job Reference No : 21/002329



R009494
30.6.21 12:57 PM
SGN3468H



Toyota (GBR) : Toyota (GBR)
4-Wheel Total Alignment

Front : Left

Actual	Before	Specified Range
-1°05'	-0°45'	-1°16' 0°14'
2°38'	2°38'	2°08' 3°38'
-0°02'	0°09'	-0°03' 0°09'
12°15'	11°56'	10°34' 12°04'
11°11'	11°11'	9°18' 12°18'

Camber
Caster
Toe
SAI
Included Angle
Turning Angle Diff.

Front : Right

Actual	Before	Specified Range
-0°17'	-0°14'	-1°16' 0°14'
2°33'	2°33'	2°08' 3°38'
0°01'	0°02'	-0°03' 0°09'
11°32'	11°28'	10°34' 12°04'
11°14'	11°14'	9°18' 12°18'

Front

Cross Camber
Cross Caster
Cross SAI
Total Toe
Cross Turn Diff.

Actual	Before	Specified Range
-0°47'	-0°31'	-0°45' 0°45'
0°04'	0°04'	-0°45' 0°45'
0°44'	0°28'	
-0°01'	0°11'	-0°06' 0°18'

Rear : Left

Actual	Before	Specified Range
-1°42'	-1°45'	-1°58' -0°58'
0°28'	0°29'	-0°01' 0°14'

Camber
Toe

Rear : Right

Actual	Before	Specified Range
-1°13'	-1°10'	-1°58' -0°58'
-0°07'	-0°13'	-0°01' 0°14'

Rear

Cross Camber
Total Toe
Thrust Angle

Actual	Before	Specified Range
-0°29'	-0°35'	-0°45' 0°45'
0°21'	0°16'	-0°02' 0°28'
0°18'	0°21'	