

JOB ORDER

QUOTATION

✓ WORKSHOP ESTIMATE

Name: _____

Date In / Out: _____

Vehicle No: 56K 3105 X

Invoice No:

Model / Color: Mazda 3 / Red

Mileage In / Out: _____

Chassis No: _____

Cash Card (Y/N) / Amount: - NA -

Petrol Level: | F | | | | E |

Page No: 2/2

[illegible]

LKK Auto Consultants hence notify the Repairer of the following:

- To resurvey before/after spray painting
- To display damaged part(s) during resurvey
- Parts prices are subject to confirmation
- Third party survey is on a "Without Prejudice" basis
- No illegal modification(s) is allowed
- Supplementary item(s) must be resurveyed and is subject to final approval from Insurance Company

Acknowledged by Repairer
Signature:
Date:

Stamford Tyres International Pte Ltd

23 Kaki Bukit Road 4

#01-12/13 Synergy@KB

Singapore 417801

Phone Number: 6702 3355

Fax Number: 6341 6993

Customer:			Date: 8/18/2022 10:14 AM		
Company:			VIN		
License NO: SGK3105X			Technician:		
Odometer: 63382KM			Order NO:		

VEHICLE ALIGNMENT REPORT						
MAZDA, 3, 10-10 (Customized)						
Primary Angles			Initial	Specifications		Final
				Min.	Max.	
Front	Caster	Left	----	2°03'	4°00'	----
		Right	----	2°03'	4°00'	----
	Camber	Left	-0°12'	-1°07'	-0°07'	-0°12'
		Right	-0°30'	-1°07'	0°07'	-0°30'
	Toe	Left	0°57'	-0°04'	0°17'	0°57'
		Right	-0°51'	-0°04'	0°17'	-0°51'
Total		0°06'	-0°09'	0°33'	0°06'	
Rear	Camber	Left	-1°18'	-1°57'	-0°57'	-1°18'
		Right	-1°36'	-1°57'	-0°57'	-1°36'
	Toe	Left	0°06'	-0°02'	0°19'	0°06'
		Right	0°09'	-0°02'	0°19'	0°09'
		Total	0°15'	-0°05'	0°37'	0°15'
	Max Thrust Angle		0°01'	----		0°01'
Secondary Angles			Initial	Specifications		Final
				Min.	Max.	
SAI	Left	----	14°00'	14°00'	----	
	Right	----	14°00'	14°00'	----	
Included Angle	Left	----	----	----	----	
	Right	----	----	----	----	
Toe Out On Turns	Left	----	----	----	----	
	Right	----	----	----	----	
Max Turn Inside	Left	----	----	----	----	
	Right	----	----	----	----	
Toe Curve Change	Left	----	----	----	----	
	Right	----	----	----	----	
Setback	Front	2mm	----	----	2mm	
	Rear	-16mm	----	----	-16mm	
Track Width Diff.		24mm			24mm	
Wheel Base Diff.		18mm			18mm	
Front Ride Height	Left	----	----	----	----	
	Right	----	----	----	----	
Rear Ride Height	Left	----	----	----	----	
	Right	----	----	----	----	
Frame Angle						----